

## The Force Technology

As an innovated manufacturer of convenience and security products for residential & commercial access solutions. Force has over 10 years experience in the automatic door field.


Force garage door opener - Innovated housing design, safety protection, quick speed for opening/closing, lower stand -by power , and low noise rail driven. We are committed to quality products, innovative designs and comprehensive services, which exceed our customers' expectations.

## The Quality Policy


We put quality at the forefront of everything we do, understanding that each of us is accountable and committed to continually improving the effectiveness of our Quality Management system and achieving quality objectives. CE-EMC, CE-LVD, CE-MD, CE-RTTE, C-tick(N14939) certification approved. As a testament to our commitment to quality, we provide "5 year motor warranty, 3 year general warranty". Do not hesitate to contact us for a quote, questions or personal introduction of our products.



# Basic • Classic Slim • Style



**FORCE-ECO**



MODEL

FS 600

FS 1000

Input voltage



200-240V/110-127V,50-60Hz

Max. opening speed

140mm/second



Max. door height

2400-5000mm

Bottom base material



Metal

Drive mechanism



Chain/Belt

Lighting

L.E.D

Limit setting

Electronic

Lighting


L.E.D

Transformer technology

Overload protection



# To Be A GDO With An Attitude&Principle



**FORCE-MATIC**



MODEL	FS600/FS600-Speed	FS1000/FS100-Speed	FS1200
Input voltage	200-240V/110-127V,50-60Hz		
Max. door area	10m <sup>2</sup>	15m <sup>2</sup>	18m <sup>2</sup>
Max. lifting force	80KG	100KG	130KG
Max. opening speed	160mm/s 200mm/s	160mm/s 200mm/s	160mm/second
Max. door height	2400-5000mm	2400-5000mm	2400-5000mm
Bottom base material	Metal	Metal	Metal
Drive mechanism	Chain/Belt	Chain/Belt	Chain/Belt
Lighting	L.E.D	L.E.D	L.E.D
Limit setting	Electronic	Electronic	Electronic
Transformer technology	Overload protection	Overload protection	Overload protection
Radio technology	433Mhz/rolling code	433Mhz/rolling code	433Mhz/rolling code



# Black & White Never Out Of Date



**FORCE-PLUS**



MODEL	FS600/FS600-Speed	FS1000/FS100-Speed	FS1200
Input voltage	200-240V/110-127V,50-60Hz		
Max. door area	10m <sup>2</sup>	15m <sup>2</sup>	18m <sup>2</sup>
Max. lifting force	80KG	100KG	130KG
Max. opening speed	160mm/s 200mm/s	160mm/s 200mm/s	160mm/second
Max. door height	2400-5000mm	2400-5000mm	2400-5000mm
Bottom base material	Metal	Metal	Metal
Drive mechanism	Chain/Belt	Chain/Belt	Chain/Belt
Lighting	L.E.D	L.E.D	L.E.D
Limit setting	Electronic	Electronic	Electronic
Transformer technology	Overload protection	Overload protection	Overload protection
Radio technology	433Mhz/rolling code	433Mhz/rolling code	433Mhz/rolling code
Soft-start/stop	Yes	Yes	Yes





**Being A Robot**  
• **Powerful**  
• **Intelligent**  
• **Behave Myself :)**

**FORCE-PLUS II**



MODEL	FS600/FS600-Speed	FS1000/FS100-Speed	FS1200
Input voltage	200-240V/110-127V,50-60Hz		
Max. door area	10m <sup>2</sup>	15m <sup>2</sup>	18m <sup>2</sup>
Max. lifting force	80KG	100KG	130KG
Max. opening speed	160mm/s 200mm/s	160mm/s 200mm/s	160mm/s
Max. door height	2400-5000mm	2400-5000mm	2400-5000mm
Bottom base material	Metal	Metal	Metal
Drive mechanism	Chain/Belt	Chain/Belt	Chain/Belt
Lighting	L.E.D	L.E.D	L.E.D
Limit setting	Electronic	Electronic	Electronic
Transformer technology	Overload protection	Overload protection	Overload protection
Radio technology	433Mhz/rolling code	433Mhz/rolling code	433Mhz/rolling code
Soft-start/stop	Yes	Yes	Yes





Always Believe  
Are The Strongest,  
Wisest & All -Round

**FORCE-ULTIMATE**



MODEL	FS600/FS600-Speed	FS1000/FS100-Speed	FS1200
Input voltage	200-240V/110-127V,50-60Hz		
Max. door area	10m <sup>2</sup>	15m <sup>2</sup>	18m <sup>2</sup>
Max. lifting force	80KG	100KG	130KG
Max. opening speed	160mm/s 200mm/s	160mm/s 200mm/s	160mm/s
Max. door height	2400-5000mm	2400-5000mm	2400-5000mm
Bottom base material	Metal	Metal	Metal
Drive mechanism	Chain/Belt	Chain/Belt	Chain/Belt
Lighting	L.E.D	L.E.D	L.E.D
Limit setting	Electronic	Electronic	Electronic
Transformer technology	Overload protection	Overload protection	Overload protection
Radio technology	433Mhz/rolling code	433Mhz/rolling code	433Mhz/rolling code
Soft-start/stop	Yes	Yes	Yes



Photo	Item	Description
	GDO-RC01	Stylish design, 4 buttons, 433.92 MHz, Rolling code technology
	GDO-RC02	Metal frame design, 4 buttons, 433.92 MHz, Rolling code technology
	GDO-RC03	Status display remote, 4 buttons, 433.92 MHz, Rolling code technology
	GDO-SVR01 Sun visor remote	3 buttons, 433.92 MHz, Rolling code technology
	GDO-WWS01 3 buttons wireless wall switch	3 buttons, 433.92 MHz, Rolling code technology
	GDO-WWS02 Single button wired wall switch	Single button
	GDO-PC01 Photo cell	Secure device
	GDO-WK01 Wireless keypad (Blue)	Code with password, 2 channels, 433.92 MHz, Rolling code technology
	GDO-WK02 Wireless keypad (Black)	Code with password, 2 channels, 433.92 MHz, Rolling code technology
	GDO-UR01 Universal receiver	4 Channels, 433.92 MHz, 500 pcs codes

